MAINTENANCE LIST No. 3

SUPPLIES

for

PAINTERS
FINE DECORATORS

▼ ▼ ▼

HOTELS
APARTMENT AND
OFFICE BUILDINGS

H.BEHLEN & BRO., Inc.
MANUFACTURERS AND DISTRIBUTORS
10 CHRISTOPHER STREET
NEW YORK

IF you are interested in Marine Finishes

Ship Shape

WILL ADD TO YOUR REQUIREMENTS OF

Extreme Weather Resistance

•

Excellent Color Retention

•

Maximum Gloss Retention

•

Elimination of Cracking

MARINE DIVISION
H. BEHLEN & BRO., INC.
10 Christopher St., New York City

Maintenance List No. 3

Acetone, Methyl Ⓑ.....gal.
Acid, Acetic Ⓑ.....gal.
Muriatic Ⓑ.....in carboys, lb. bottles
Oxalic Ⓑ.....lb.
Picric Ⓑ.....lb.
Pyrogallic Ⓑ.....lb.
Alcohol, Denatured, 188 proof Ⓑ.....gal.
Wood 95% Ⓑ.....gal.
Wood 97% Ⓑ.....gal.
Alum, Ground Ⓑ.....lb.
Lump Ⓑ.....lb.
Ammonia, 26% Ⓑ.....in carboys, lb. gal.
Anilines, *see Stains, Powdered*
Anti Pluvius Ⓑ (Waterproofing).....gal.
Asphaltum Ⓑ, *see Varnishes*
Banana Liquid Ⓑ *see Bronzing Liquid*
Beeswax Ⓑ *see Wax*
Beetsol Ⓑ (Powdered Cleaner).....lb.
Behtex Ⓑ (Powdered Plastic Paint).....lb.
Benzine Ⓑ.....gal.
Benzole Ⓑ.....gal.
Black Lead, dry Ⓑ.....lb.
Blue Vitriol Ⓑ.....lb.
Borax, Lump or Powdered Ⓑ.....lb.

BRONZE POWDERS

All our Gold and Aluminum Bronzes are of the Highest Grade. They are finely ground, thus insuring greater covering and spreading capacity.

Aluminum C. P., Lac I.....lb.
Aluminum Chromium Paste, B 18.....lb.
Copper, Deep or Light B I.....lb.
Palegold, Brilliant B XXX.....lb.
Palegold, Brilliant B 15.....lb.
Palegold, Deep, BI, Special Mat.....lb.
Richgold, Brilliant, B Lac I.....lb.

Ask for our special Color Card No. B 7

Bronzing Liquid Banana No. 1 Ⓑ.....gal.
Diamond Ⓑ.....gal.
Electric Ⓑ.....gal.
Fresco WC.....gal.
Brush Keeper (1 Gallon).....each
Building Paper, *see Paper*

PAP06-B829 TDCAT
11/16/2006 1930

BRUSHES

Wall Brushes

90C Commander Wall, all pure Chinese black bristles

Width	Length of Bristles	Thickness of Ferrules	Doz.	Each
3″	4½″	1⅛″		
3½″	4⅝″	1⅛″		
4″	4⅞″	1⅛″		
4½″	5⅛″	1⅛″		
5″	5⅛″	1⅛″		

90A Arrow Wall, all pure Chinese black bristles

Width	Length of Bristles	Thickness of Ferrules	Doz.	Each
3″	4⅜″	1″		
3½″	4⅝″	1″		
4″	5″	1″		
4½″	5¼″	1″		
5″	5¼″	1″		

90S Superior Wall, all pure Chinese black bristles

Width	Length of Bristles	Thickness of Ferrules	Doz.	Each
3″	3⅞″	1″		
3½″	4⅛″	1″		
4″	4⅜″	1″		
4½″	4⅝″	1″		
5″	4⅝″	1″		

Kalsomine Brushes

53 **X** Pure Russian bristles

Width	Length of Bristles	Thickness of Ferrules	Doz.	Each
6″	5½″	1″		
7″	5½″	1″		
8″	5½″	1″		

53 **XX** Pure Russian bristles

Width	Length of Bristles	Thickness of Ferrules	Doz.	Each
3½″ (*Cove*)	4½″	1″		
6″	5½″	1″		
7″	5½″	1″		
8″	5½″	1″		

53 Y-Not, Pure Russian bristles

Width	Length of Bristles	Thickness of Ferrules	Doz.	Each
7″	5½″	1″		

No other size of Y-Not Kalsomine Brush is made.

53 **Russian,** Pure Russian bristles

Width	Length of Bristles	Thickness of Ferrules	Doz.	Each
6″	4½″	1″		
7″	4¾″	1″		

Dutch Kalsomine is made to order.

Oval Brushes

15 Rambler Black Bristles

No.	Outside Dimensions of Ferrules	Length of Bristles	Doz.	Each
4/0	1 29/32″ x 1 7/16″	2⅞″		
5/0	1 31/32″ x 1½″	3⅛″		
6/0	2 1/32″ x 1 17/32″	3⅜″		
7/0	2⅛″ x 1 19/32″	3⅝″		
8/0	2 3/16″ x 1 21/32″″	3⅞″		

17 Velox Black Bristles

No.	Outside Dimensions of Ferrules	Length of Bristles	Doz.	Each
2	1 5/8" x 1 5/16"	2 1/4"		
4	2 1/4" x 1 11/32"	3"		
6	2 9/32" x 1 13/32"	3 1/4"		
8	2 11/32" x 1 7/16"	3 1/2"		
10	2 19/32" x 1 1/2"	3 3/4"		

18¾ Nesto, extra long Black Bristles

No.	Outside Dimensions of Ferrules	Length of Bristles	Doz.	Each
40	2 7/32" x 1 13/16"	4 1/4"		
50	2 7/32" x 1 7/8"	4 5/8"		
60	2 11/32" x 1 31/32"	4 7/8"		
70	2 11/32" x 1 31/32"	5"		
80	2 13/32" x 1 31/32"	5"		

"Pound" and other oval brushes also in stock.

Wire (Steel) Brushes

A Wire Brush for every purpose.

		Doz.	Each
360	4-Row Furniture Cleaning		
359	3-Row Furniture Cleaning		
370	9-Row Curved Back Scrub		
02	6-Row Straight Back Scrub		
07	4-Row Curved Handle Plate		
VR	Varnish Remover		
V.R.F.	Varnish Remover Filler		

Painter's Dusters

133G Round Gray Pure Russian Bristles

No.	Outside Dimensions of Ferrules	Length of Bristles	Doz.	Each
4	2 7/16"	4 1/2"		
5	2 9/16"	4 3/4"		

133B Round Black Chinese Bristle

No.	Outside Dimensions of Ferrules	Length of Bristles	Doz.	Each
5	2 9/16"	4 3/4"		

23 Flat Black Chinese Bristles

Width	Length of Bristles	Doz.	Each
4"	4 1/8"		

Sashtools or Painter's Fitch

155B Raven (Black Bristle)

Width	Length of Bristles	Doz.	Each
1/4"	1 1/8"		
1/2"	1 3/8"		
3/4"	1 1/2"		
7/8"	1 1/2"		

403 Dandy (Black Bristle)

Width	Length of Bristles	Doz.	Each
1"	2 1/8"		
1 1/4"	2 1/4"		
1 1/2"	2 7/16"		
1 3/4"	2 9/16"		
2"	2 3/4"		

402 Eager Oval (Black Bristles)

No.	Width	Length of Bristles	Doz.	Each
2	5/8"	1 1/2"		
4	7/8"	1 1/4"		
6	1 1/8"	2 1/16"		
8	1 3/8"	2 1/4"		
10	1 5/8"	2 1/2"		
12	1 3/4"	2 11/16"		

409 Trim XXX (Black Bristle)

Width	Length of Bristles	Doz.	Each
1"	2 1/4"	.....	
1 1/2"	2 1/2"	.....	
2"	2 3/4"	.....	

Soft Bristle Brushes

For Shellac, Varnish and Enamels

2046 Popular XXX Chinese Black

Width	Length of Bristles	Doz.	Each
1"	2 1/8"	.....	
1 1/2"	2 3/8"	.....	
2"	2 5/8"	.....	
2 1/2"	2 7/8"	.....	
3"	3 1/8"	.....	
3 1/2"	3 3/8"	.....	
4"	3 5/8"	.....	

2047 XXX Extra Long Black Chisel

Width	Length of Bristles	Doz.	Each
1 1/2"	2 3/4"	.....	
2"	3"	.....	
2 1/2"	3 1/4"	.....	
3"	3 3/4"	.....	
3 1/2"	3 7/8"	.....	
4"	4"	.....	

Stipple Brushes

141 Wall Stipplers, Pure Russian Bristles, All Aluminum Back

No.	Width	Length of Bristles	Doz.	Each
1X	3 1/2" x 9"	3"		
2X	3 1/2" x 9"	3 3/8"		

140 Walnut Stipplers, Pure Russian Bristle

Width	Length of Bristles	Doz.	Each
3"	5 5/8"	.....	
3 1/2"	5 5/8"	.....	
4"	5 5/8"	.....	
4 1/2"	5 5/8"	.....	
5"	5 5/8"	.....	

Graining Brushes

39 Graining Tools, White Bristles

Width	Style II Length of Bristles	Style III Length of Bristles	Doz.	Each
1"	1 1/16"	1 3/4"		
1 1/2"	1 1/8"	1 7/8"		
2"	1 3/16"	2"		
2 1/2"	1 1/4"	2 1/8"		
3"	1 3/8"	2 1/4"		

40 Piped Over Grainers, White Bristles

Width	Length of Bristles	Doz.	Each
1"	15/16"	.....	
1 1/2"	15/16"	.....	
2"	15/16"	.....	
2 1/2"	15/16"	.....	
3"	15/16"	.....	
3 1/2"	15/16"	.....	
4"	15/16"	.....	

Radiator Brushes

188 Acme Bronze, Chisel Fitch, Long Handle

Width	Length of Hair	Doz.	Each
1"	1 1/4"	.....	
1 1/2"	1 1/2"	.....	
2"	1 5/8"	.....	
2 1/2"	1 5/8"	.....	
3"	1 3/4"	.....	

923 Radiator, X (Black Bristles) Chisel, Long Handle, Straight Ferrule

Width	Length of Bristles	Doz.	Each
1″	1½″	.....	
1½″	1⅝″	.....	
2″	1¾″	.....	
2½″	1⅞″	.....	

923A Radiator X (Black Bristles) Chisel, Bent Ferrule

Width	Length of Bristles	Doz.	Each
1″	1½″	.....	
1½″	1⅝″	.....	
2″	1¾″	.....	

Roof Brushes

124 C. M. Knotted Roof Brushes with Stick, Black Bristles

Width	Circumference	Doz.	Each
2 Knot, 3⅞″	3⅝″	.....	
3 Knot, 5⅝″	3⅝″	.....	
4 Knot, 7⅜″	3⅝″	.....	

4TK Black Tampico with Handle .....

Acid Brushes

613 **Tampico,** White, Brass Ferrule for Acid Use

Width	Length of Tampico	Doz.	Each
1″	1⅞″	.....	
1½″	2″	.....	
2″	2¼″	.....	
2½″	2⅜″	.....	
3″	2½″	.....	

All kinds of

Soft-Hair Varnish and Artist Brushes

(Camel Hair, Red Sable, Ox Hair, etc.)

Ask for Special Brush List No. 1B

Carbon Tetra Chloride .....gal.
Casein Ⓑ .....lb.
Caulking Compound "Perma Flexi Kaulk" WC

Natural, White, Red, or Gray.....5 gal.		gal.
Special Colors .....5 gal.		gal.

(*Specify for Gun or Knife*)

Caustic Soda Ⓑ in 5 lb. cans .....lb.
Cement, Linoleum Ⓑ Red .....gal.
Portland, 50 lb. bags .....lb.

Roof Black Ⓑ....5 lb.	12½ lb.	25 lb.
Roof Red Ⓑ.....5 lb.	12½ lb.	25 lb.

Tilette (For tile and porcelain).....Each Can

Chamois Skins

		Doz.	Each
No. 8D	19″ x 25″		
No. 9D	18″ x 24″		
No. 10D	17″ x 23″		

Cheesecloth
Bleached Remnants No. 1.....lb.
Bleached Remnants No. 2.....lb.
Clean Pack (Straining Cloths, 5-1 yd. pcs. to pkg.) .....pack
Osceola 27″ Approximately 60 yds. .....yd.
Osceola 36″ Approximately 60 yds.....yd.
Reliance, for straining, Approx. 60 yds.....yd.
20th Century, for straining, Approx. 60 yds.....yd.

Cleaner

Beetsol (Powder) .....lb.
Climax Wall Paper Cleaner.....Each Can
O'Kay Cleaner, Quarts.....Each; Gal.....Each

O'Kay is a scientifically prepared cleaner, containing pure soap flakes, vegetable oils and very fine, water-ground, air-floated abrasive powders, contains no free alkali, acids or other harmful ingredients. In paste form for painted or enameled surfaces.

COLORS

Colors Ground in Oil, Japan and Distemper



Our colors are of the highest quality and finely ground in pure linseed oil and japans to yield the greatest covering capacity.

	In Oil						Japan		Dry	
	WC Will Covermore			ⓑ Island			ⓑ Coach		ⓒ Fresco	
	½ Pt.	¼ Gal.	Gal.	½ Pt.	¼ Gal.	Gal.	1 Lb.	5 Lb.	1 Lb.	5 Lb.
Black										
Drop										
Lamp										
Blue										
Cobalt										
Prussian										
Ultramarine										
Brown										
Sienna, Raw and Burnt										
Umber, Raw & Burnt										
Van Dyke										
Green										
Chrome, L. M. Dk.										
Emerald										
Paris										
Red										
Bulletin										
Carmine Lake										
Crimson Lake										
Indian										
Rose Lake										
Rosepink										
Turkey										
Tuscan										
Venetian Oxide										
Vermilion Amer.										
Vermilion Eng. L. Dk.										
White										
Flake										
Zinc										
Yellow										
Chrome, L. M. Dk.										
Dutch Pink										
French Ochre										
Golden Ochre										

— Ask for Color Cards —

Colors in oil and in Japan in tubes
Show Card and Silk Screen Colors

Copperas, Sulphate of Iron ..... lb.
Cork Blocks (for rubbing)
3 x 6 x 1½ ..... Each
4 x 6 x 2 ..... Each

Cotton Waste Bale Lb. Less, Lb.
No. 1 White (Pure White)
No. 2 White (Not sold in less than bale lots)
Colored (Not sold in less than bale lots)

Craftex, *see Plastic Paints*

Creosote Bbl. 5 Gal. 1 Gal.

Creosote Stain, *see Shingle Stains*

Driers

Japan, "B" Heavy ..... gal.
Japan, "K" Thin Patent ..... gal.
Japan, White ..... gal.
Japan, McD.-B, Japanite ..... gal.

Dropcloths

The life of a dropcloth depends on the sewing. Our dropcloths are stitched with two parallel lockstitch seams ¼" apart. They will never come apart or unravel even though they are washed again and again.

They are reinforced with double stitched hems. All our cloths are full measurement.

Sizes	Waterproof Corduroy	Canvas Duck
9" x 9"	.....	.....
9" x 12"	.....	.....
9" x 15"	.....	.....
12" x 15"	.....	.....
15" x 15"	.....	.....
15" x 18"	.....	.....

Special sizes made to order.

Emery Cloth

#0 to 4/0	#1/2	#1	#1½	#2
Ream				
Quire				

Emery Paper

#4/0	#3/0	#2/0	#0	#1/2	#1	#1½	#2
#200	#180	#150	#120	#90	#80	#70	#60

Ream .....
Quire .....

ENAMELS

Behlenite is a porcelain like enamel of the highest grade for both interior and exterior use. It is heavy bodied, easy working and completely uniform in quality. It spreads evenly and smoothly without showing any trace of brush marks and produces a tough, elastic and extremely durable finish which may be rubbed if desired. Behlenite enamel is made in both gloss and egg-shell finishes of equally high quality.

Behlenite Enamel
White .....gal. ½ gal. ¼ gal.
Fume Resisting WC No. 71.....gal.
Rush Hour Enamel WC
(12 *Colors, Ask for Color Card*)
4 Hour Drying .....pts. qts. gal.
Will Covermore Eggshell WC
Servisheen .....gal.
Will Covermore Gloss Coat WC.....gal.
Red Label, White B..... .....pts. qts. gal.
French Porcelain B
White Alcohol.....gal. ½ gal. ¼ gal. ⅛ gal
Swansdown Enamel
White, Gloss and Eggshell.....gal.

Swan's Down enamel is a carefully mixed enamel which is excellent for interior work of all kinds. It produces a sturdy finish which yields a lifetime of dependable service

Enamel Undercoat
Will Covermore Undercoat WC .....gal.

ENAMEL SYNTHETIC

A self leveling, one hour drying synthetic finish in 26 colors for exterior and interior use. A hard, durable, alcohol proof finish that will stand the "gaff" with a consistency far beyond your fondest expectation. For trucks, boats, furniture, and store counters, it assures a time saving, smooth, brush free surface. Soap powders and washing solutions will not mar the finish.

Behloid Enamel Finishes
(26 colors) WC .....1/16 gal. ¼ gal. gal.
Behloid Primer
(4 colors) WC .....1/16 gal. ¼ gal. gal.
Behloid Clear Finishes,
Dull and Gloss WC....1/16 gal. ¼ gal. gal.
Behloid Reducer WC.....1/16 gal. ¼ gal. gal.

Ask for color cards
We also stock many other makes

FILLERS, WOOD

Our Wood Fillers are made from pure Silex finely ground in pure Linseed Oil and fill the pores of any wood perfectly.

Fillers, Wood, Behlen's ◈

In Paste Form, all shades

	1 lb.	5 lb.	10 lb.	25 lb.	100 lb.	bbl.
In Liquid Form	1 gal.	5 gal.	½ bbl.	bbl.		
Natural						
Golden Oak						
Mahogany						

Flint Paper *see Sandpaper*

Garnet Paper, *see Sandpaper*

Gelatine, Silver Label, in sheets.....lb.
No. 5, in Flakes ◈.....lb.
No. 3, White, for Gilding ◈.....lb.

Glaze
Will Covermore Glazing Liquid WC .....gal.
Wall Paper Glaze, *see Lacquers, Qualatone*

Gloves
Rubber, Acid, white, heavy.....pr.
Rubber, Regular .....pr.
Rubber, Synthetic .....pr.

Glues
Gelatine, No. 5 .....lb.
Gelatine, No. 21 .....lb.
Ground, No. 15 .....lb.
Ground, No. 16 .....lb.
Shell, White, No. 8 .....lb.
Shell, White, No. 10 .....lb.

Glycerine, C. P. White ◈.....gal.
Yellow ◈ .....gal.

Graining Combs, No. 100, Steel
(Set 1" to 3") .....per set

Graining Combs, Steel,
from 1" to 3", fine, med. and coarse.....per inch

Graining Paper, in rolls, Oak, Walnut,
Mahogany, Maple (26" wide, 50' long)....per roll

Graining Rollers, Rubber, (3 to set) No. 200....ea. set

Graining Rubbers (5 to set) No. 00.....ea. set

Graining Tools, *see Brush List*

Graphite Paint, *see Paint List*

Gresolvent .....can

Gums
Arabic, No. 1 .....lb.
Arabic, No. 2 .....lb.
Ornamental *see Ornamental Gum*
Shellac, Orange A .....lb.
Orange B .....lb.
Orange C .....lb.
White K. D. .....lb.

Hair Cloth, Old, for rubbing.....lb.

Iron Liquor .....gal.

Japan Colors, *see Colors*

Japan Driers, *see Driers*

KALSOMINES

Behlen's Ⓑ Inside (cold water)	....bbl.	25 lb. bags	lb.
Enduro Ⓑ Outside (cold water)	....bbl.	25 lb. bags	lb.
Decolene Ⓑ Inside (Hot Water)	....bbl.	25 lb. bags	lb.

Also Muralite, Muresco and Muralo Kalsomine in stock.

Kerosene .....gal.

Kle-Nu-Pol, *see Polish*

Knives

Putty, Behlen's Ⓑ (pictured on Brush List)	Doz.	Each
1¼"		
2"		
2½"	Broad Knives or Scrapers	
3"		
3½"		
4"		
Spatulas	Doz.	Each
3½"		
4"		
5"		
6"		
Paper Hanger's	Doz.	Each
Gilder's single and double	Doz.	Each

Lacquers

Brass, Clear .....gal.
Gold, Alcohol .....gal.
Gold, Rich, Turpentine .....gal.
French, White .....gal.
Silver .....gal.

QUALATONE MAINTENANCE LACQUERS

The finest in clear lacquers for spray or brush application. There is a Qualatone Lacquer for every maintenance problem including wood, stone, cork and linoleum floors as well as wall paper, woodwork, and plaster.

Qualaflor (wood & linoleum)	....drums	5 gals.	gal.
Qualaspar (cork)	.....drums	5 gals.	gal.
Qualatile (stone floor seal and wall paper)	.....drums	5 gals.	gal.

Ask for booklet "The Finish To Your Lacquer Problems"

Ladders
Step, (all sizes and quality) ..... each

Lampblack, *see Colors*

Lead, Dutch Boy or Eagle

	100-lb.	50-lb.	25-lb.	12½-lb.	5-lb.	1-lb.
Black, Dry						
Red, Dry						
Red, In Oil						
White, Dry						
White, In Oil (Regular or Soft)						

Leaf, Gold, Silver or Aluminum

Aluminum Leaf, 5½" x 5½" ..... pk.
Gold XX Deep (Regular) 3⅜" x 3⅜" ..... pk.
Gold, Usual Light No. 6, 3⅜" x 3⅜" ..... pk.
Gold, French, 3⅜" x 3⅜" ..... pk.
Gold, XX Deep Patent
(for exterior work) 3⅜" x 3⅜" ..... pk.
Gold, Ribbon Leaf (all sizes) ..... box
Imitation Leaf, Gold, 5½" x 5½" ..... pk.
Regular or Lemon Shade
Silver Leaf, 3¾" x 3¾" ..... pk.

Lime, Powdered ..... 50 lb. bags ; less lb.

Litharge ..... lb.

Lithopone ..... lb.

Lye Ⓑ ..... 14 oz. cans

Masking Tape, all sizes ..... per roll

Metallic Ⓑ **Paint,** ready mixed ..... 1 gal. ; 5 gal.
Ⓑ Princess Dry,
bbl. 300 lb. ; 100 lb. kegs ; less lb.
Ⓑ Princess Paste in oil ..... gal.

Minwax, Special ..... gal.

Naphtha ..... gal.

Naphthaline, in flakes ..... lb.
In balls ..... lb.

Neats (scratch coat) ..... bag lb. ; less lb.



NEW WOOD

New Wood is a dough like material which will adhere to any clean surface. A hard, rock-like surface is formed filling all holes or crevices. It can be shellacked, varnished, painted or enameled after it has hardened.

New Wood ..... lb. can
Nutgalls, Whole ..... lb.
Powdered ..... lb.

Oils

China Wood "Tung" ..... gal.
Crude "Penn" ..... gal.
Enamel, WC ..... gal.

IMPORTANT!

Pleas
show



se order all brushes by the number
vn and also specify the sizes wanted

Flatting Ⓑ	5 gal.	; gal.	
Floor, Light			gal.
Japan, WC			gal.
Linseed, Boiled	bbl.	; gal.	; less, gal.
Raw	bbl.	; gal.	; less, gal.
Refined	bbl.	; gal.	; less, gal.
Imitation	bbl.	; gal.	; less, gal.
Machine			gal.
Paraffin			gal.
Polishing, Lemon			gal.
Excelsior			gal.
Furniture			gal.
Poppy			gal.
Rosin (Kidney)			gal.
Stand Oil			gal.
Orange Mineral			lb.
Ornamental Gum, ½ bbl.	; 5 gal.	; gal.	

Behlen's Ornamental Gum is used pure for hanging Lincrusta, pressed and leather papers. For hanging ordinary wall paper, reduce 1 quart gum with 2 to 3 quarts of water. For sizing walls, one gallon gum reduced will cover 3,000 square feet of wall surface. It will work better and go farther than common paste.

Oxalic Acid *see Acid*

PAINTS

Interior and Exterior Maintenance

Blackboard, gal. ; ½ gal. ; ¼ gal. ; ⅛ gal.

FIRMCOAT

A truly washable, paste, casein paint possessing remarkable coverage, absence of odor, and high light reflectivity. Can be diluted over 50% with water, easy to apply, and most suitable for walls and ceilings requiring a non-glaring, soft-textured finish.

Casein, Firmcoat, White	5 gal.	; 1 gal.	
Firmcoat, Pastel	5 gal.	; 1 gal.	
Firmcoat, Basic Colors	5 gal.	; 1 gal.	
Eggshell Interior Finishes			
Island Brand Eggshell White,	5 gal.	; 1 gal.	
Island Brand Colored (15 colors) (Ask for color card)	5 gal.	; 1 gal.	
Servisheen, White	5 gal.	; 1 gal.	
Servisheen, Colored (8 colors) (Ask for color card)	5 gal.	; 1 gal.	

PARA-LASTIC

An extremely fine, exceptionally durable, and easy-to-apply enamel for exterior or interior concrete or wood floors, steps, dadoes, and other surfaces subject to hard wear. Quick drying and resistant to alkalis, water, and mild acids.

Floor and Deck Finishes

Para-lastic (12 colors) (Ask for color card) For interior and exterior use, 5 gal. ; 1 gal.
Superior (black, white, colors) (Ask for color card) for interior use. 5 gal. ; 1 gal.

ISLAND BRAND FLAT

A linseed oil washable flat paint having the properties of superior covering, stretch, and flow. For all wall and ceiling surfaces requiring a smooth flat finish free from laps and brush marks. Especially suitable for large maintenance jobs when economy is the prime concern.

Flat Paint

Behtona, White (with Titanium) WC 5 gal. ; 1 gal.
Behtona, Colors (10 colors) WC 5 gal. ; 1 gal.
Superior Flat (White only) WC 5 gal. ; 1 gal.
Island Brand White B ..... 5 gal. ; 1 gal.
Island Brand Colors B (14 colors) 5 gal. ; 1 gal.
Island Brand Stippling B ..... 5 gal. ; 1 gal.

(Ask for color card)

ISLAND BRAND GLOSS

Intended for use on interior walls, woodwork, and metal surfaces. Easy to apply, flows out smoothly, does not show brush marks or sags, and gives a high gloss serviceable finish.

Gloss Interior Finishes

Island Brand Gloss White B.....5 gal. ; 1 gal.
Island Brand Colored B (15 colors)
(Ask for color card)....5 gal. ; 1 gal.
Gloss Coat, WC White.....5 gal. ; 1 gal.
Gloss Coat, WC Colored (8 colors)
(Ask for color card) 5 gal. ; 1 gal.

Marine Paints

Ask for color cards and literature on Ship Shape Marine Finishes. The finest afloat.

METAL BEE

A high quality metal preservative resistant to heat, water, sulphurous fumes, dilute acids, brine, and oils. Formulated to withstand hard use under abnormal conditions on interior or exterior wood or metal surfaces.

Metal Paints

Anti Rust Graphite WC	5 gal.	; 1 gal.
Metalbee, Aluminum WC	5 gal.	; 1 gal.
Black WC	5 gal.	; 1 gal.
Green WC	5 gal.	; 1 gal.
Red WC	5 gal.	; 1 gal.
Metallic Roof WC	5 gal.	; 1 gal.
Red Iron WC	5 gal.	; 1 gal.
Pure Red Lead Paint, Ready Mixed WC	5 gal.	; 1 gal.

Outside Ready Mixed Paint

21 Colors WC	5	1	½	¼	⅛	gal.
White WC	5	1	½	¼	⅛	gal.
Red Cherry, M65 WC	5	1	½	¼	⅛	gal.

Concrete & Cement Paint WC
White or Gray (three shades)....5 gal. ; 1 gal.

(Ask for color card)

TITANA PASTE WHITE

A Titanium Oxide Paste to be reduced to paint form with linseed oil for outside work; for inside work, turpentine. For all exterior and interior use no whiter pigment on the market. Has twice the covering capacity as Lead and Zinc; can be tinted with any color ground in oil; drys with a hard film.

Paste Paints (Interior and exterior)

Titana (White Titanox) WC	5 gal.	; 1 gal.
Exterior Paste (33⅓% each of zinc, lead, titanox) WC	5 gal.	; 1 gal.

Permatone (Non fading trim and blind) WC

White, Country Club,	5 gal.	; 1 gal.
12 Non Fading Colors	5 gal.	; 1 gal.

Plastic Paint

Behtex	10 lb.	; 25 lb.	; 100 lb.
Craftex	10 lb.	; 25 lb.	; 100 lb.

BIG B PRIMER

A pigmented first-coater which not only seals, but hides, neutralizes, and counteracts moisture, free lime, and acids found in new plaster. The proper primer for all flat, gloss, and egg-shell wall paints.

Priming and Sealing (Interior & Exterior)

Behtona Clear Sealer WC	5 gal.	; 1 gal.
Big B Primer B	5 gal.	; 1 gal.
Pigmented Primer WC	5 gal.	; 1 gal.
Wet Wall No. 141 B	5 gal.	; 1 gal.
Outside White Primer WC	5 gal.	; 1 gal.

Roof

Red Metallic WC	5 gal.	; 1 gal.
Black Asbestos Fiber Coater, bbls. B	5 gal.	; 1 gal.

Traffic Zone

White WC	5 gal.	; 1 gal.
Yellow & Orange WC	5 gal.	; 1 gal.

—o—

Complete Architectural Specifications on correct painting is published in printed form.

Ask for any paint by trade name and we will endeavor to find the manufacturer, also price of article desired.

—o—

Paint Pails, Galvanized Iron

12 qt.	doz.	; each
14 qt.	doz.	; each

Paint Pots, Seamless

No. 2—4 qt.	doz.	; each
No. 3—6 qt.	doz.	; each
No. 4—8 qt.	doz.	; each

Paper, Building, 20 lb. rolls ..... each roll
Bermico ..... each roll
Graining, in rolls (all shades) ..... each roll

Paste, B Paper Hanger's dry ..... lb.

Pitch, Black Roof ..... bbl. ; less, lb.

Plaster, Paris ..... 1 5 10 25 50 100 bbl.
Patching ..... lb.

Plastic Wood ..... lb.

POLISH

A new Greaseless Furniture Polish which leaves no Finger-marks.
(Ask for Special Circular)

Polish, ℗ Metal ..... 1/16 1/8 1/4 gal.
Kle-Nu-Pol ..... 1/16 1/8 1/4 gal.

Potash
Lye, 14 oz. can ℗.....per can
Permanganate .....lb.
Bichromate .....lb.

Pumice Stone, Italian (American Ground)
No. 3/F to No. 2/0.....bbl. ; less, lb.
No. 0 to No. 1½.....bbl. ; less, lb.

Putty
Linseed Oil....100 lb. kegs 25 lb. 12½ lb. 5 lb. 1 lb.
White Lead....100 lb. kegs 25 lb. 12½ lb. 5 lb. 1 lb.
Steel Sash.....100 lb. kegs 25 lb. 12½ lb. 5 lb. 1 lb.

Rags, Washed (cotton) .....bales, lb. ; less, lb.
Underwear Wipers .....bales, lb. ; less, lb.
Reinforcing Liquid .....5 gal. ; 1 gal.
Rollers, Felt 2″ or 3″.....each
Rubber 2″ or 3″ .....each
Roof Cement, Red ....25 lb. ; 12½ lb. ; 5 lb.
Black .....25 lb. ; 12½ lb. ; 5 lb.
Rottenstone, Powdered, Light or Dark.....lb.
in Bricks .....lb.
in Lumps .....lb.
Rubber Fingers, Assorted .....doz.
Rubber Gloves, *see Gloves*

SAND PAPER

We merchandise Sandpaper of all popular brands, sizes, grades and numbers. All paper may be ordered in rolls.

Sand Paper
Flint Paper ℗
Cabinet 9″ x 11″
No. 4/0 to 0 ½ 1 1½ 2 2½ 3
Ream
Quire
Finishing Flint Single Faced 9″ x 11″
No. 6/0 to 1/2
Ream
Quire

Garnet Paper

Cabinet 9" x 11"

No. 3/0 to 0 ½ 1 1½ 2 2½

Ream

Quire

Finishing Paper, Double and Single Faced 9" x 11"

No. 7/0 to 0

Ream

Quire

Wet or Dry Waterproof Finishing 9" x 11"

No. 8/0 to 0

Ream

Quire

Sanders, Metal .....each

Scraper, 3x6 .....each

Shellac *see Varnish*

Silex, floated .....bags ; less lb.

Silicate of Soda (Water Glass) .....gal.

Sizes

Adhesium, Wall, Liquid .....gal.

Behlen's ® Wall Powder .....lb.

Heins Red and Blue Burnishing Clay.....lb. par

Heins Oil .....lb. jar

Le Franc Mixtion (Oil) Imported Slow Drying
gal. ½ gal. ¼ gal. ⅛ gal.

Noble & Hoare's (Japan) Imported Quick Drying
gal. ½ gal. ¼ gal. ⅛ gal.

Sisks, Wall, Liquid .....gal.

Gloss Oil, Impervo, Shellac, Behtona Sealer also carried in stock.

Smalts, all colors .....lb.

Soap, Castile, in bars .....lb.
Powder .....bbl., lb. ; less, lb.

SPARKEL

The original Sparkel was formulated and marketed by H. Behlen & Bro., Inc. Since the introduction of Sparkel by us, many substitutes have been offered to the consuming public. There is no substitute for the Original Sparkel.

As a filling preparation, Sparkel is the only known substance that gives uniform satisfaction to the Master Decorator at all times.

Sparkel .....100 lb. case ; 5 lb. pkg.

SPONGES



We are headquarters for all grades of sponges due to our direct connection with the importation of same. Our sponges are in every respect first quality and free from all adulteration. We solicit your inquiries.

Sponges

Carriage (Florida Yellow) bales ; less, lb.
Cuba Sheeps Wool, Large, 6-8 to lb.
bales ; less, lb.
Decorator's, 6-8 to lb. .....bales ; less, lb.
Florida Sheeps Wool, Medium 16-20 to lb.
bales ; less, lb.
Grass No. 1 .....bales ; less, lb.

STAINS

Powdered

Since Aniline Colors and Stains were introduced in America H. Behlen & Bro. have marketed them throughout the United States, acquiring thereby a wide experience in this commodity.

Our Colors are well known in the Piano and Furniture Trade, as well as to the principal Interior Decorators.

We pride ourselves in having the biggest and best up-to-date selection in Aniline stains. We will match any colors for the wood-finishing trade.

Ask for our special list and color card.

A denotes Alcohol soluble. **W** denotes water soluble. **O** denotes oil soluble.	Solubility	Per Lb.
Black No. 7 Jet	A	
No. 6 Crystal	W	
Brown No. 4 Bismark (Red)	A & W	
No. 99 Seal	A & W	
No. 46 Perfect	A	
No. 121 Walnut	A & W	
No. 43 Wood	A & W	
Green No. 71 Olive	A & W	
No. 74 Malachite	A & W	
Mahogany No. 201 Extra Strong, Lt.	W	
No. 202 Extra Strong Brown	W	
No. 24 Brown	A	
No. 123 Adams Brown	W	
No. 34 Bismark	O	
No. 109 Medium	A	
Maple No. 14 Antique	A & W	
No. 203 Regular	W	
No. 93 Yellow	A	
Oak No. 14 Dark	A & W	
No. 53 Medium	O	
No. 17 Weathered	W	
Silver No. 18 Gray	W	
Yellow No. 94 Canary	W	

If there is any other color or shade wanted, ask for stain list and color card.

STAINS

Liquid

X Denotes solubility carried in stock ready mixed.	Water	Alcohol	Oil
Ebony	X	X	X
Mahogany, Light, Dark and Medium	X	X	X
Oak, Light, Dark and Medium	X	X	X
Oak, Weathered	X	X	X
Oak, Early English	X	X	X
Oak, Fumed	X	X	X
Oak, Silver Gray	X		
Oak, English	X		X
Walnut	X		X

Creolin WC **Shingle Stains,** 7 Shades and Double Solid White, Ask for color card.

5 gal. 1 gal.

Staintex WC **Ready Mixed Oil Stain,** 6 Shades, ask for color card.

1 gal. ½ gal. ¼ gal. ⅛ gal.

Varnish Stains, see Varnishes, Interior

Starch, Corn .....lb.

Steel Shavings	Coarse	Medium	Fine
25-lb. .....lb.			
10-lb. .....lb.			
Less .....lb.			

STEEL WOOL

Forty years ago this house introduced the first imported steel wool and shavings to the trade and ever since handled the best makes and grades. We are now offering our own quality wool and shavings, which has extra long strands carefully and uniformly graded.

Beware of a cheaper, poorly graded wool

Steel Wool Nos.	3/0	2/0	0	1	2	3
25-lb., lb.						
10-lb., lb.						
Less, lb.						

We also stock Steel Wool in Pads

Strainers, Metal

For Paint .....each

For Kalsomine .....each

Titanium Oxide.....lb.

Trinex, Cleaner and Remover in crystal form.....lb.

Also see Varnish Remover

Trisodium Phosphate .....lb.

Turpentine	Bbl.	5 gal	1 gal.
Pure Gum Spirits.....			
Turpentine, No. 2 (benzine)			
Turpentine, No. 3 (naphtha)			
Turpentine, No. 4 (kerosene)			
Turpentine, No. 5 (imitation)			
V. O. No. 12 (imitation)			

VARNISHES (ALCOHOL) and SHELLACS

We have been cutting quality shellacs for 50 years and make a specialty in pure 4, 5 and 6 Lb. goods. We can always make prompt delivery in any quantity. All containers are dated to guarantee freshness.

	bbl.	5 gal.	1 gal.
White Shellac			
W.A., Pure, 5 lb., cut			
D.A., Pure, 5 lb., cut			
D.A., Pure, 4 lb., cut			
Orange Shellac			
W.A., Pure, 5 lb., cut			
D.A., Pure, 5 lb., cut			
D.A., Pure, 4 lb., cut			
Black Shellac			
D.A., Pure, 5 lb., cut			
Imitation Shellac			
Behlac, White and Orange			
Substitute, Clear			

White French Varnish.....1 gal. ; ¼ gal. ; ⅛ gal.

Brown French Varnish.....1 gal. ; ¼ gal. ; ⅛ gal.

Black French Varnish.....1 gal. ; ¼ gal. ; ¾ gal.

VARNISHES TURPENTINE

We stock many other makes and kinds of varnishes not listed below.

Please ask for our Wood Finisher's List No. 1.

Spar, C. S. All Purpose WC ..... gal.
Super Spar WC ..... gal.

Floor, Floor and Trim WC ..... gal.
Special C WC ..... gal.
Four Hour WC ..... gal.

Interior, Floor and Trim WC ..... gal.
Hard Oil Finish B ..... gal.
Four Hour Rubbing B ..... gal.
L Cabinet Rubbing B ..... gal.
Cabinet Polishing B ..... gal.
Table Top B ..... gal.
Stainvar WC (Varnish Stain) ..... gal.

Damar T Ⓑ ..... gal.

Flat, 15 Flat Finish Ⓑ ..... gal.

Eggshell, Behlen's Ⓑ ..... gal.

Mixing, Behlen's Ⓑ ..... gal.

Priming or Sizing
Ceiling No. 1 Ⓑ ..... gal.
Ceiling No. 2 Ⓑ ..... gal.

Asphaltum
Turpentine Ⓑ ..... gal.
Benzine Ⓑ ..... gal.

PAD OVER

Pad Over is a new, brushless, water and liquor proof preparation made especially for easy application over wood or metal surfaces. It dries quickly and hard with a nice glossy finish that will withstand constant wear.

Pad Over

Dull (Turp.)	gal.	1/4 gal.	1/8 gal.
Gloss (Turp.)	gal.	1/4 gal.	1/8 gal.

Varnish Pots (with tube tops; extra heavy)

1 qt. 2 qt. 3 qt. 4 qt. 6 qt.

VARNISH REMOVER

Zoff Varnish Remover is manufactured in two consistencies, Liquid and Cream. For removing shellac, varnish, paints and enamels from all surfaces, just spread it on, then after remover has softened up underlying surfaces, a broad knife easily removes old varnish, shellac, or paint. Then wash and clean with either alcohol, benzine or turpentine.

Zoff Liquid, WC ..... 5 gal. ; 1 gal.

Zoff Cream, WC ..... 5 gal. ; 1 gal.

Ⓑ **Liquid,**
packed 12/1 gal. to case.. 1 gal. 1/2 gal. 1/4 gal.

Ⓑ **Fire-Fly** (Fireproof) ..... 5 gal. 1 gal. 1/4 gal.

Ⓑ **Waxless** ..... 5 gal. 1 gal.

WAXES

Behlen's ® Prepared Wax is the right wax finish for parquet floors, furniture or any other wood finish that desires a wax finish.

Behlen's ® Liquid Wax is a pure turpentine and beeswax preparation.

Both ® Prepared Paste Wax and ® Liquid Wax are the ideal waxes where a perfect wax finish is desired.

Waxes

Prepared Paste Wax ® Blue Label, Yellow and Natural
1 lb. cans 2 lb. cans 4 lb. cans

Island Paste Wax
1 lb. cans 2 lb. cans 4 lb. cans

Liquid Wax, ® Blue Label.....1 gal. ¼ gal.

Island Liquid No Rub, Regular.....1 gal.

Beeswax White, Pure No. 1.....lb.
Yellow, Pure No. 1.....lb.
Yellow No. 2.....lb.

Carnauba Wax, No. 1 .....lb.
No. 3 .....lb.

Japanese Wax .....lb.

Paraffin Wax .....lb.

Whiting, Commercial.....bbl. 100 lb. lb.
Special .....50 lb. bags 100 lb. lb.
Extra Gilder's .....bbl. 100 lb. lb.

Walnut Extract (Crystals) .....lb.

Walnut Shells .....lb.

Zinc Sulphate.....lb.

Zinc White, French Green Seal, *see Colors*

Ask for General List No. 1
Featuring Hardwood Finishing Supplies

LIST No. 4
Supplies for
ORNAMENTAL PLASTERERS

When Buying Shellac!

Do you know whether it is pure?

Are you positive that it is "cut" to the number of pounds to the gallon of alcohol, as stated on the can label?

Of course you don't. You naturally have to leave this to the integrity and reliability of the manufacturer or dealer.

Remember, pure shellac will dry quickly and sandpaper freely. Adulterated shellac will do neither; it dries slowly and stays gummy.

Buy your shellac from a house with a reputation for stability.

All of our cans and packages are marked plainly and carry our guarantee for purity and weight.

All containers are dated to guarantee freshness.

Eliminate your shellac troubles and inconveniences. Use Behlen's pure shellac.

H. BEHLEN & BRO., INC.

Quality Shellac Cutters since 1888

"There is no Substitute for Pure Shellac"



Our Concrete
Fireproof Building
10 Christopher Street
New York

1930?

PRINTED IN U.S.A.